

2016 年欧文

- Kondo T, Kondo Y, Orita Y, Mitarai F, Ishitsuka Y, Irikura M, Shimodozono Y, Douchi T, Takeda Y, Irie T
Predictive Factors for Efficacy and Safety of Prophylactic Theophylline for Extubation in Infants with Apnea of Prematurity
PLOS ONE DOI : 10 : 1371/journal.pone.0157198.ecollection2016.

- Wakamatsu M, Nakamura Y, Orita Y, Mitarai F, Ishitsuka Y, Irikura M, Shimodozono Y, Douchi T, Takeda Y, Irie T
Predictive validity of the Japanese version of Postpartum Depression Predictors Inventory-Revised (PDPI-R) during pregnancy and the postpartum period Medical Journal of Kagoshima University 68 : 8 – 19, 2016

- Okugawa K, Kobayashi H, Sonoda K, Kaneki E, Kawano Y, Hidaka N, Egashira K, Fujita Y, Yahata H, Kato K
Oncologic and obstetric outcomes and complications during pregnancy after fertility-sparing abdominal trachelectomy for cervical cancer : a retrospective review
Int J Clin Oncol DOI : 10.1007/s10147-016-1059-9 , Epub 2016

- Toomine Y, Watanabe S, Sugishima S, Ohishi Y, Tnamiya S, Kobayashi H, Sonoda K, Oda Y, Kato K, Kaku T
Diagnostic value of squamous cell change associated with endometrial carcinoma: a cytopathologic approach
Diagnostic Cytopathology 44(3) : 187 – 194, 2016

- Yahata H, Kobayashi H, Sonoda K, Shimakawa M, Ohgami T, Saito T, Sakai K, Ichinoue A, Ueoka Y, Hasuo Y, Nishida M, Masuda S, Kato K
Efficacy of aprepitant for the prevention of chemotherapy-induced nausea and

vomiting with a moderately emetogenic chemotherapy regimen: a multicenter, Placebo-controlled, double-blind, randomized study in patients with gynecologic cancer receiving paclitaxel and carboplatin.

Int J Clin Oncol 21(3):491-493,2016

- Dozono H, Yanazume S, Nakamura H, Etrych T, Chytil P, Ulbrich K, Fang J, Arimura T, Douchi T, Kobayashi H, Ikoma M, Maeda H
HPMA Copolymer-Conjugated Pirarubicin in Multimodal Treatment of a Patient with Stage IV Prostate Cancer and Extensive Lung Bone Metastases
Target Oncol 21(3):491-493,2016
- Togami S, Kawamura T, Kamio M, Douchi T
A rare case of microinvasive squamous cell carcinoma arising in mature cystic teratoma of the ovary
Eur J Gynaecol Oncol 37(3):420-422,2016
- Nagai S, Kobayashi H, Nagata T, Hiwatashi S, Kawamura T, Yokomine D, Orita Y, Oki T, Yoshinaga M, Douchi T
Clinical Usefulness of Bakri Balloon Tamponade in the Treatment of Massive Postpartum Uterine Hemorrhage
Kuyume Med J 62(1-2):17-21,2016
- Onda T, Satoh T, Saito T, Kasamatsu T, Nakanishi T, Nakamura K, Wakabayashi M, Takehara K, Saito M, Ushijima K, Kobayashi H, Kawana K, Yokota H, Takano M, Takeshima N, Watanabe Y, Yaegashi N, Konishi I, Kamura T, Yoshikawa H
Comparison of treatment invasiveness between upfront debulking surgery versus interval debulking surgery following neoadjuvant chemotherapy for stage III/IV ovarian, tubal, and peritoneal cancers in a phase III randomised trial: Japan Clinical Oncology Group Study JCOG0602.
Eur J Cancer 64:22-31,2016
- Kitade S, Onoyama I, Kobayashi H, Yagi H, Yoshida S, Kato M, Tsunematsu

R,Asanoma k,Sonoda K,Wake N,Hata K,Nakayama KI,Kato k
FBXW7 is involved in the acquisition of the malignant phenotype in epithelial
ovarian tumors.

Cancer Sci 107(10):1399-1405,2016

- Matsuzaki T,Douchi T,Oki T,Ishihara O,Okagaki R,Kajihara T,Kotsuji
F,Tajima M,Kawano M,Ishizuka B,Irahara M
Weight reduction using a formula diet recovers menstruation in obese patients
with ovulatory disorder
Reproductive Medicine and Biology in press